



Installation Example  
Concrete Class D 400

Dynamic shearing forces on pavement / kerb must not affect the channel wall due to the friction connection with the haunching.



\* y ≥ Channel height - 15 cm

Category according to EN 1433 / DIN 19580		A 15	B 125	C 250	D 400**	E 600**	F 900**	Applying to following systems:				
Foundation: width x / height y / thickness z (in cm)					15 / * / 15			FASERFIX SUPER 100, 150, 200, 300, 400, 500				
EN 206-1 / DIN 1045-2  The named concrete quality is a minimum quality	quality of concrete stretcher				C30/37 XF4,XM1							
	without danger of frost on the lateral support				C 25/30 X0							
	with danger of frost on the lateral support				C25/30 XF3							
The installation examples / advise constantly are adapted to the technical conditions. With new editions older expenditures lose their validity. Before planning or installation please verify the current version at <a href="http://www.hauraton.com">www.hauraton.com</a> In building construction is a sealing layer below the channels necessary.  The installation example represents a proven recommendation from HAURATON. The final responsibility for the execution lies with the planner in charge. Specific conditions of the project must be taken into account.  ** Installation situations of drainage systems with high dynamic loads (e.g. airports, expressways and maneuvering areas of buses, trucks and forklifts, etc.) are not sufficiently considered in DIN EN 1433. Please contact us for such applications to work out project-specific solutions.				Date: 31.10.2024		Our general installation instructions apply.		Format DIN	A4	 Werkstr. 13 76437 Rastatt Germany  Tel. +49 (0) 72 22 9 58-0 <a href="mailto:info@hauraton.com">info@hauraton.com</a>		
								scale	1:8			
				0000120136_ENGLISH.dwg		16		EBBw				
				FF-S-100 Typ 010 Rinnenunterteil Einbaubeispiel Klasse D 400 in Beton mit Bordstein								